

REPORT No. 42

November 2003

BUPRESTIS

A semi-annual newsletter devoted to the dissemination of information about buprestids and students of this group

Editor: Hans Mühle
Hofangerstr.22a
D-81735 München

Germany

Dear friends,

The new deadline for the next issue of BUPRESTIS will be 15. February 2004.

Hans Mühle
Editor

A. RESEARCH ACTIVITIES AND INTERESTS

B. SPECIES WANTED FOR RESEARCH OR EXCHANGE

C. REQUESTS FOR LITERATURE

D. FORUM

Roman reviewed Chuck's latest book on the higher classification of the superfamily Buprestoidea. I think his comments are worth while to be discussed.

BELLAMY C.L. 2003. **An illustrated summary of the higher classification of the superfamily Buprestoidea (Coleoptera).** Folia Heyrovskyana, Supplementum 10: 1-197, 453 colour illustrations. ISBN 80-86447-09-4. Published by Vít Kabourek, Sokolská 3923, CZ-760-01 Zlín, Czech Republic; tel/fax +420 577 437 870, e-mail: vk@kabourek.cz. Price: US\$88.00.

We live in the Era of Catalogues and Colour Albums: not only private scientists like me but even large libraries find it difficult or impossible to keep pace with the flood of [more or less exhaustive, more or less critically compiled, more or (if at all) less extensively commented, world-wide or regional] lists of taxa, and still less so with new and new [often gorgeously illustrated but (unfortunately – or perhaps, at least from the „viewpoint” of our pockets, very fortunately indeed...) of in most cases rather little scientific value] picture-books. If well done, such edition – making easier the (otherwise hopelessly time-consuming) search for published information and helping to avoid (otherwise practically inevitable) mistakes and overlookings – is of great value to a student of the respective group, and nevertheless his/her first reaction is frequently “oh, God! – one more book which I am expected to know and quote but will never have easy access to”! And, in effect, many of them do remain hardly accessible, rarely quoted and only exceptionally – in cases of absolute necessity – searched for in libraries and (if found there...) appropriately used... The publication now before me is a catalogue and a picture-book at once (though apparently not primarily intended as either of these), but I hope its exceptional merits will allow it to rise from the ranks and find its way not only to all serious zoological libraries, but also to the desks of all taxonomists interested in the Buprestidae.

Short (1 page) “Introduction” – mostly devoted to the explanation of the main sources of the accepted classification – is followed by “Methods and Materials”, divided into three parts: “Biogeographical Regions” (definitions of nine major continental areas in terms of which the geographical distribution of genera is referred to in the text), “Abbreviations” (further remarks on the presentation of data), and “Availability of Certain Family- and Genus-group Names” (discussion of the status of names introduced by Chevrolat, Dejean, Gistel, Gory and Laporte, and Spinola). The main part of the book (pages 12-100) is “The Higher Classification System” – essentially a catalogue of supraspecific (including – at the end – fossil) taxa showing synonymy, references to original publications, originally ascribed status, type-species (with the authorship of designation), and sometimes notes on important revisional works, nomenclature, or taxonomic placement; for recent genera (not for subgenera!) also gender, number of species, and general (in terms of the above-mentioned nine areas) distribution is given. On pages 102-145 the reader finds 453 colour photographs, illustrating representatives (very often “TS” – type-species?) of almost as many subgenera of nearly all genera (many of them very rare, poorly described, not known even to experienced buprestidologists, and/or never previously photographed). The book is completed with exhaustive (*ca.* 750 titles) list of “References”, “Index of Illustrated Species”, and “Index of Superspecific Taxa”.

What I find somewhat disappointing is the fact that it is not what the title seems to suggest! Having heard of the “*summary of the higher classification*” I expected either a bare systematic (according to the Author's views) list of taxa (*i.e.* “*summary*” in the strict sense), or – rather! – a commented comparison of various [recently] published opinions (with or without formulation of the Author's own standpoint) as to the subdivision of Buprestoidea in general and/or placement of controversial subgroups in particular; the book before me is much more than the former, but (*as a “summary of classification”*) much less than the latter: it is an illustrated ***catalogue*** of supraspecific taxa arranged according to (mostly uncommented) combination of two partial systems. Moreover, neither of these two systems is that (of Hołyński 1988, 1993) mentioned in the Introduction as “*accepted, in principle*”: the subfamily Agrilinae have been arranged according to Kubán & al. (2000), all the remaining groups follow Volkovitsh's (2001) conclusions based on antennal sensory structures [the choice of the latter – and the use of categorical formulations like “Hołyński included X into Y,

but Volkovitsh **showed** that it belongs to Z” – seems somewhat surprising, as Volkovitsh (2001) himself expressedly (and emphatically!) **disclaimed** the applicability of the suggestions summarized in his “*List of examined buprestid higher taxa arranged with respect to antennal structures*” to such a purpose (“*It is vital to note that I do not suggest a new classification of the Buprestidae, because in my opinion the creation of a natural classification based on single character system is impossible*”)! Of course the Author has the right to base his work on the system he prefers – what I am criticizing here is only the misleading formulation, suggesting to the reader that I am responsible for multitude of decisions which in fact I have never proposed and definitely do not agree with... On the other hand, the accommodation of the Volkovitsh’s (2001) “List” – with its admittedly “**informal** [emphasis mine – RBH] *categories as complex, lineage, branch, and generic group*” – to the role of regular classification produced a confused, cumbersome arrangement where the relations between taxa and “quasi-taxa” are often virtually impossible to unravel. Is, e.g., “*generic group [tribal level] sensu Volkovitsh, 2001*” co-ordinate (of equal rank) or subordinate to tribe (and, respectively, “*generic group [subtribal level] sensu Volkovitsh, 2001*” to subtribe)? If “*Anilara generic group [tribal level] sensu Volkovitsh, 2001*” is co-ordinate to the “*Tribe Curini*”, how Anilarini can be a synonym of the latter?; if subordinate, what does the “*tribal level*” mean? And what about “*generic group sensu Volkovitsh, 2001*” (without indication of the “*level*”)?

So, in my opinion, as “summary of the classification” the publication is a misfire: it does not provide either a coherent, usable original system, or critical presentation of the various recently advocated opinions. However, paradoxically, many readers will find this an advantage: while “quarrels” about higher classification are interesting to (alas!) relatively few enthusiasts of the noble science of “pigeonholing”, a beautifully illustrated **and** professionally good (despairingly rare combination!) catalogue can be very helpful and/or enjoyable as well to world-famous jewel-beetle specialist as to nature-loving amateur – and **as a catalogue the book is excellent!** Dr. Charles L. Bellamy is one of the topmost authorities in the taxonomic studies of the Buprestidae, and his favourite occupation seems to be the painstaking, time-consuming, spurned by most zoologists (but indispensable if we wish to know what are we speaking about), “bibliographic drudgery” (search in often old and hardly accessible literature for authors and dates, priorities and current usages, homonyms and synonyms, original spellings and type-designations – the very kind of information a good catalogue is primarily expected to provide). We may (and do...) frequently disagree on the warrantness of particular nomenclatural and/or taxonomic decisions, but whenever doubts arise as to the basic underlying data (which paper appeared earlier? has the type-species of the genus X been ever properly designated? what was the original combination for the species Y described in some obscure publication?) the first “reflex” is “I must ask Chuck”... So, he is certainly the person better than anybody else qualified to prepare the World Catalogue of the Buprestidae, and indeed he has been working on such projects already since decades: his first, preliminary list of supraspecific taxa (Bellamy 1985) has served as indispensable tool for buprestid taxonomists since 18 years, and the comprehensive (down to varieties) version approaches completion – the present publication is apparently an “extract” from the latter. As could be expected from such authority, the very detailed, carefully checked, beautifully and purposefully illustrated (a splendid and remarkably useful idea!) catalogue makes an exquisite source of reliable information.

The only features of general nature that I perceive as shortcomings are overly generalized geographical regionalization (indications like “PAL”[aearctic] do not tell very much, one would like to know whether the genus in question represents endemism of Canary Is., is widely distributed over Siberian taiga, or perhaps inhabits Formosa and Ryu-Kyu Archipelago...) and the disparate treatment of what the Author considers “full” genera **vs.** subgenera (some data – esp. gender and distribution – are provided only for the former; in view of notorious subjectivity of criteria for, and vast variety of opinions on, the ranks of buprestid supraspecific taxa, such discrimination seems not easily justifiable); luckily, in this case helps Bellamy’s (otherwise often irritating to me...) extreme “splitter inclination”: it is not easy to find a group treated usually as a genus but **downgraded** by him... By the way, I can hardly imagine what kind of “conclusive studies” could ever “show” what rank should be accorded to particular taxon (*cf. e.g.* the note under *Peronaemis* – :55)?

Of course, in a publication like this some simple mistakes inevitably occur, but only few have come to my attention. So, Acmaeoderoidina (:16) “*were combined by Hołyński (1993a)*” with Ptosimina (not with Nothomorphina!); “*the subtribal structure*” of the Anthaxiini (:66) is certainly not “*essentially that proposed by Hołyński*”, mainly because... the tribe as accepted by Bellamy is not “subtribally structured” at all: of the 13 subtribes recognized by Hołyński (1993) only the “content” of the nominotypical one – plus the genera *Cylindrophora* (removed from my Curidina) and *Chalcogenia* (from the Melanophilina) – has been left here...; some of the photographed beetles have been misidentified (fig. 96 shows *Chalcoplia*

(*Chalcomroczkowskia*) *auricollis*, not *aurofoveata*; fig. 141 – a member of the *Chrysodema [antennata]*-superspecies, not *deyrollei*; fig. 145 – *Metataenia quadriplagiata*, not *meeki*) but, as their primary function is to illustrate genera/subgenera, the inexactitude at the species level does not matter very much. The fact that (despite having turned over the pages rather thoroughly) I have no more fault to find with (except some – also very scarce – trifling clerical errors) confirms the top quality of the Author's and Editor's work (of course there are many points where I disagree with the views, decisions, solutions, conventions adopted in the book, but these – even if not simply the matter of personal taste – offer the material for further scientific discussion, not for the reviewer's criticism).

To sum up, notwithstanding the somewhat misleading title, this publication is certainly more than worth its price, and should find its way not only to major zoological libraries but especially to the shelves of everybody working on, or interested in, the buprestid taxonomy; many students of other groups of beetles or other branches (e.g. ecology, zoogeography, evolution) of general biology, as well as just “nature-lovers”, will undoubtedly also find the book useful or at least enjoyable!

Literature cited

- Bellamy C.L. 1985.** A catalogue of the higher taxa of the family Buprestidae (Coleoptera). *Navor. Nas. Mus. Bloemf.* **4**, 15: 405-472
- Holyński R.B. 1988.** Remarks on the general classification of Buprestidae Leach as applied to Maoraxiina Hol. *Folia Ent. Hung.* **49**, 1: 49-54
- Holyński R.B. 1993.** A reassessment of the internal classification of the Buprestidae Leach (Coleoptera). *Crystal (Zool.)* **1**: 1-42
- Kubáň V., K. Majer, J. Kolibáč. 2000.** Classification of the tribe Coraebini Bedel, 1921 (Coleoptera, Buprestidae, Agrilinae). *Acta Mus. Morav. (Sci. Biol.)* **85**: 185-287
- Volkovitsh M.G. 2001.** The comparative morphology of antennal structures in Buprestidae (Coleoptera): evolutionary trends, taxonomic and phylogenetic implications. Part 1. *Acta Mus. Morav. (Sci. Biol.)* **86**: 43-169

Roman B. Holyński, PL-05822 Milanówek, ul. Graniczna 35, skr. poczt. 65, POLAND. E-mail:
holynski@interia.pl

& & & & &

The last newsletter came back with the remark “address unknown” from the following colleagues:

Shigeru ENDO
George C. WALTERS jun.
Geoff WILLIAMS
Magnus PETERSON. Who can help with the addresses or information.

E. PUBLICATIONS

Arnáiz Ruiz, L. & P. Bercedo Páramo. (2003). Novedades y cambios taxonómicos en los Bupréstidos Ibéricos y Baleares posteriores a la monografía del Dr. Cobos (1986) (Coleoptera: Buprestidae). Boletín de la Sociedad Entomológica Aragonesa. N°.32:121-130.

Arnáiz Ruiz, L. & P. Bercedo Páramo. (2003a). Two new species of *Anthaxia* Eschscholtz, 1829 from Spain (Coleoptera: Buprestidae). Zootaxa 267:1-7.

Arnáiz Ruiz, L., P. Bercedo Páramo & A. J. De Sousa Zuzarte. (2002). Corrigenda a: “Corología de los Buprestidae de la Pénínsula Ibérica e Islas Baleares (Coleoptera)”. Boletín de la Sociedad Entomológica Aragonesa. N°.31:183-184.

Arnáiz Ruiz, L., P. **Bercedo Páramo** & J. L. **Lencina Gutiérrez**. (2002). The subgenus *Pseudyamina* Richter, 1952 of the genus *Buprestis* Linnaeus, 1758 in Spain (Coleoptera: Buprestidae). Biocosme Mesogén, Nice 19 (1-2):39-45.

Barsevskis, A. in: **Telnov**, D., A. **Barsevskis**, F. **Savich**, F. **Kovalevsky**, S. **Berdnikov**, M. **Doronin**, R. **Cibulskis** & D. **Ratniece**. (1997). Check-List of Latvian Beetles (Insecta: Coleoptera). Mitteilungen des Internationalen Entomologischen Vereins, Supplement V, pp.1-140 (buprestids: pages 66-68).

Bellamy, C. L. & H. A. **Hespenheide**. (2002). The review of two Mexican species-groups of *Agrilus* (Coleoptera: Buprestidae: Agrilinae). Anales del Instituto de Biología, Universidad Nacional Autónoma de México, Serie Zoología 73(1):37-51.

Bellamy, C. L. & M. G. **Volkovitsh**. (2003). Case 3258. *Acmaeodera* Eschscholtz, 1829 and *Acmaeoderella* Cobos, 1955 (Insecta, Coleoptera): proposed conservation of usage by designation of *Buprestis cylindrica* Fabricius, 1775 as the type species of *Acmaeodera*. Bulletin of Zoological Nomenclature 60(1):31-33.

Bellamy, C. L. & R. L. **Westcott**. (2003). Correction to the Buprestidae and Schizopodidae (Coleoptera) listings from *Nomina Insecta Nearctica* (1996). Zootaxa 147:1-20.

Bellamy, C. L. (2002). Case 3193. *Chrysodema* Laporte & Gory, 1835 and *Iridotaenia* Deyrolle, 1864 (Insecta, Coleoptera): proposed conservation of usage by the designation of *C. sonnerati* Laporte & Gory, 1835 as the type species of *Chrysodema*. Bulletin of Zoological Nomenclature 59(3):185-187.

Bellamy, C. L. (2003). Case 3194. *Lius* Deyrolle, 1865 (Insecta, Coleoptera): proposed conservation. Bulletin of Zoological Nomenclature 60 (2):132-134.

Bellamy, C. L. (2003a). Case 3257. *Acmaeodera oaxacae* Fisher, 1949 and *Polycesta deserticola* Barr, 1974 (Insecta, Coleoptera): proposed precedence of the specific names over those of *Acmaeodera philippinensis* Obenberger, 1924 and *Polycesta aruensis* Obenberger, 1924 respectively. Bulletin of Zoological Nomenclature 60 (2):124-126.

Bellamy, C. L. (2003b). The Madagascan Coraebini (Coleoptera: Buprestidae: Agrilinae): Part 4, New genera and species. Zootaxa 174:1-19.

Bellamy, C. L. (2003c). An illustrated summary of the higher classification of the superfamily Buprestoidea (Coleoptera). Folia Heyrovskyana, Supplementum 10, 197 pp.

Bílý, S. & C. L. **Bellamy**. (2002). Case 3205. *Cyphosoma* Mannerheim, 1837 (Insecta, Coleoptera): proposed conservation, and *Halecia* Laporte & Gory, 1837 (Insecta, Coleoptera): proposed precedence over *Pristiptera* Dejean, 1833. Bulletin of Zoological Nomenclature 59(4):249-252.

Bílý, S. & M. G. **Volkovitsh**. (2002). Larvae of some tropical genera of buprestids (Coleoptera: Buprestidae). Elytron 15:49-73.

Bílý, S. (2002). Comment on the proposed cpnservation of usage of *Chrysodema* Laporte & Gory, 1835 and *Iridotaenia* Deyrolle, 1864 (Insecta, Coleoptera) by the designation of *C. sonnerati* Laporte & Gory, 1835 as the type species of *Chrysodema* (Case 3193: see BZN 59:185-187). Bulletin of Zoological Nomenclature 59(4):281.

Bílý, S. (2002a). New species, subspecies and taxonomical notes on *Anthaxia* (Coleoptera: Buprestidae) from the Palaearctic and Afrotropical regions. Folia Heyrovskyana 10(4):195-203.

Bílý, S. (2002b). Summary of the bionomy of the Buprestid beetles of Central Europe (Coleoptera: Buprestidae). Acta Entomologica Musei Nationalis Pragae, Supplementum 10, 104 pp., incl.16 col.pls.

Bílý, S., G. **Curletti** & A. van **Harten**. (2003). Further jewel beetles (Coleoptera, Buprestidae) from Yemen, including new species of *Ankareus* Kerremans and *Agrilus* Curtis. Zoology in the Middle East 28:77-85.

Brandl, P. (2003). *Anthaxia eggeri* n. sp., eine neue Art der Gattung *Anthaxia* Eschscholtz, 1829, von den Kanarischen Inseln (Coleoptera, Buprestidae). Acta Coleopterologica 19(2):3-4.

Curletti, G. (2003). The genus *Agrilus* Curtis, 1825 in Solomon Islands (Coleoptera, Buprestidae). Bollettino Museo Regionale Scienze Naturali Torino 20 (1):135-160.

Davidson, J. M. (2003). Mexican *Acmaeodera* Eschscholtz, 1829: A new species and checklist, with miscellaneous taxonomic and biological notes on other North American Buprestidae (Coleoptera). Zootaxa 201:1-18.

Debuyser, M. (1999). Pour un catalogue des Coléoptères du nord de la France. Coléoptères Buprestidae. Bulletin de la Société entomologique du nord de la France, Bulletin trimestriel N : 292 :3-9.

Haack, R. A., E. **Jendek**, H. **Liu**, K. R. **Marchant**, T. R. **Petrice**, T. M., **Poland** & H. **Ye**. (2002). The emerald ash borer: A new exotic pest in North America. Newsletter of the Michigan Entomological Society 47(3-4):1-5.

Habermann, M. & J. **Preller**. (2003). Untersuchungen zur Biologie und zur Bekämpfung des Zweifleckigen Eichenprachtkäfers (*Agrilus biguttatus* Fabr.). About biology and controlling of *Agrilus biguttatus*. Forst und Holz 58 (8):215-220.

Hastir, P. & C. **Gaspar**. (2002). Les «richards» (Coleoptera, Buprestidae) de la faune de Belgique: éthologie, phénologie, classification et systématique. Notes fauniques de Gembloux, n° 47:3-39.

Hornburg, M. (2003). A new *Cylindromorphoides* Kerremans, 1903 from the “Gran Sabana” in Venezuela (Coleoptera: Buprestidae). Zootaxa 130:1-6.

Izzillo, F., A. **Liberto**, D. **Baiocchi** & P. **Crovato**. (2002). *Buprestis humeralis* nuovo per Italia ed altri interessanti reperti di buprestidi dalle regioni Centro Meridionali e Sardegna. Bolletino dell’Associazione Romana di Entomologia, 57 (1-4):11-25.

Jendek, E. (2002). New synonymy in the genus *Coomaniella* (Coleoptera: Buprestidae), with remarks on another species. Acta societatis Zoologicae Bohemicae 66:241-242.

Jendek, E. (2003a). A correction to the authorship of *Agrilus graminis* (Coleoptera: Buprestidae). Zootaxa 313:1-6.

Jendek, E. (2003b). Revision of *Agrilus cuprescens* (Ménétriés, 1832) and related species (Coleoptera: Buprestidae). Zootaxa 317:1-22.

Jendek, E. (2003c). Studies in the Palaearctic and Oriental *Agrilus* (Coleoptera: Buprestidae). III. Biologia, Bratislava 58/2:179-190.

Królik, R. (2002). *Agrilus kutahyanus* n. sp. from Turkey (Coleoptera: Buprestidae). Genus 13(1):25-31.

Lander, T. (2003). Révision du genre *Chrysodema*. Collection Systématique, vol.8. Magellanes, 96 pp.

MacRae, T. C. & G. H. **Nelson**. (2003). Distributional and biological notes on Buprestidae (Coleoptera) in North and Central America and the West Indies, with validation of one species. The Coleopterists Bulletin 57(1):57-70.

MacRae, T. C. (2003). *Mastogenius guayllabambensis* Mac Rae, a new species from Ecuador (Buprestidae: Coleoptera: Haplostethini). The Coleopterists Bulletin 57(2):149-153.

Mifsud, D. & S. **Bílý**. (2002). Jewel beetles (Coleoptera, Buprestidae) from the Maltese Islands (Central Mediterranean). The Central Mediterranean Naturalist 3(4):181-188.

Muskovits, J. & G. **Hegyessy**. (2002). Magyarország Díszbogarai. Jewel beetles of Hungary. Nagykovácsi, 404 pp., 15 colour plates.

Niehuis, M. (2002). *Latipalpis (Palpilatis) johanidesi* n. sp. – ein neuer Prachtkäfer aus der Türkei (Coleoptera: Buprestidae). Mitteilungen des Internationalen Entomologischen Vereins 27(3/4):105-114.

Niehuis, M. (2003a). Ein neuer Prachtkäfer *Sphenoptera brechteli* n. sp. – des Subgenus *Holpistura* Jak., 1889, aus Israel (Coleoptera: Buprestidae). Mitteilungen des Internationalen Entomologischen Vereins 28(1/2):25-31.

Novak, G. (2003). *Aphanisticus lafermei* n. sp., eine neue Art aus Mauritius (Coleoptera: Buprestidae). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 55:27-28.

Obořil, M. & S. **Bílý**. (2002). *Anthaxia (Merocratus) karati* sp. n. from Thailand (Coleoptera: Buprestidae). Folia Heyrovskyana 10(4):169-172.

Opinion 2008 (Case 3149). (2002) 30 species-group names originally published as junior primary homonyms in *Buprestis* Linnaeus, 1758 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 59(3):211-216.

Opinion 2009 (Case 3118). (2002) *Anthaxia* Eschscholtz, 1829 and *Trichocratomerus* Richter, 1949 (Insecta, Coleoptera): generic names conserved by the designation of *Buprestis nitida* Rossi, 1794 (currently *A. fulgurans* (Schrank, 1789)) as the type species of *Anthaxia*. Bulletin of Zoological Nomenclature 59(3):217-218.

Sakalian, V. & M. Langourov. (2001). Jewel beetles (Insecta: Coleoptera: Buprestidae) from Kresna Gorge (SW Bulgaria. In: P. Beron (ed.): Biodiversity of Kresna Gorge (SW Bulgaria) :145-162.

Sakalian, V. (2003). A Catalogue of the Jewel beetles of Bulgaria. Zoocartographia Balcanica Vol.2. Pensoft, Sofia, 246 pp.

Sakalian, V. (2003a). New data for the distribution of jewel beetles (Coleoptera: Buprestidae) in Turkey. Acta Zoologica Bulgarica 55(1):5-10.

Sparacio, I. (2002). *Anthaxia (Melanthaxia) giorgioi* sp. n. from Mt. Etna, Sicily (Coleoptera: Buprestidae). Folia Heyrovskyana 10(2-3):115-118.

Svoboda, P. (2003). *Anthaxia (Haplanthaxia) iveta* sp. n. from Iran and Pakistan (Coleoptera: Buprestidae). Folia Heyrovskyana 11(1):51-55.

Thoma J. & N. Schneider (2003) Rectificatif concernant les buprestes (Coleoptera, Buprestidae) du Luxembourg. Bulletin de la Société des Naturalistes luxembourgeois. 103:101-102.

Volkovitsh, M. G. & A. Liberto. (2002). A new species of *Acmaeodera* Eschscholtz, 1829 from Gran Canaria and Tenerife and notes on *Acmaeodera (Acmaeotethya) cisti* Wollaston, 1862 (Coleoptera, Buprestidae). VIERAEA 30:9-17.

Volkovitsh, M. G. & M. Yu. Kalashian. (2002). Type designations for *Sphenoptera* Dejean and *Raphidochila* Jakovlev (Coleoptera: Buprestidae). Zoosystematica Rossica 11(1):166.

Volkovitsh, M. G. & M. Yu. Kalashian. (2002a). Lectotype designations in the genus *Sphenoptera* Dejean (Coleoptera: Buprestidae). Zoosystematica Rossica 11(1):170.

Volkovitsh, M. G. & M. Yu. Kalashian. (2003). A new species of *Sphenoptera* (subgenus *Chrysoblemma*) from Iran with taxonomic notes on some Palaearctic species of *Sphenoptera* from subgenera *Chrysoblemma*, *Hoplistura* and *Tropeopeltis* (Coleoptera: Buprestidae). Zoosystematica Rossica 11(2), 2002:331-342.

F. New taxons

(In the first column the name, author, year of publication and page number of the new taxon is shown; the second column indicates the type locality, state and province; and the third column the collection where the type is deposited)

Abbreviations:

ANIC	Australian National Insects Collection, CSIRO, Canberra/Australia
BMNH	The Natural History Museum, London/Great Britan
BPBM	Bishop Museum, Honolulu/Hawai
CASC	California Academy of Science, San Francisco/U.S.A.
CT	Museo Civico di Storia Naturale, Catania/Italy
CMJP	Martin Johanides collection, Praha/Czech Republic
EMEC	Essig Museum of Entomology, Berkeley/CA, U.S.A.
GNCW	Gottfried Novak collection, Wien/Austria
HMCM	Hans Mühle collection, München (later deposited in ZSM)
MCCI	Museo Civico di Storia Naturale, Carmagnola, Italy

ZMHB	Zoologisches Museum, Humboldt-Universität, Berlin/Germany
MNCN	Museo Nacional de Ciencias Naturales de Madrid
MNHN	Muséum National d'Histoire Naturelle, Paris/France
MRSN	Museo Regionale di Scienze Naturali, Torino/Italy
NMPC	Narodni Muzeum, Praha/Czech Republic
NMVA	Museum of Victoria, Melbourne/Australia
TFMC	Museo de Ciencias Naturales de Tenerife, Canarias, Spain
TLCG	Tiéri Lander collection, Genève/Switzerland
TTC	T. Terebayashi collection, Japan
UNAM	Autonoma Universidad Nacional, Mexico
USMB	Upper Silesian Museum, Bytom/Poland
USNM	National Museum of Natural History, Smithsonian Institution, Washington DC./U.S.A.
ZIN	Zoological Institute, Russian Academy of Sciences, St.Petersburg/Russia
ZSM	Zoologische Staatssammlung, München/Germany

New species and subspecies

2002

<i>Agrilus (Agrilus) kutahyanus</i> Krolík, 2002:	Turkey	USMB
<i>Agrilus bicoloropsis</i> Bellamy & Hespenheide, 2002	Mexico	EMEC
<i>Agrilus clytrinoides</i> Bellamy & Hespenheide, 2002	Mexico	UNAM
<i>Anthaxia (Anthaxia) bicolor uzbekistana</i> Bílý, 2002a	Uzbekistan	NMPC
<i>Anthaxia (Haplanthaxia) marginifera dhofarica</i> Bílý, 2002a	Oman	NMPC
<i>Anthaxia (Haplanthaxia) tibetana</i> Bílý, 2002a	China, Tibet	NMPC
<i>Anthaxia (Melanthaxia) giorgioi</i> Sparacio, 2002	Sicily, Italy	CT
<i>Anthaxia (Merocratus) karati</i> Obořil & Bílý, 2002	Thailand	NMPC
<i>Latipalpis (Palpilatis) johanidesi</i> Niehuis, 2002	Turkey	CMJP

2003

<i>Acmaeodera (Acmaeotethya) guayarmina</i> Volkovitsh & Liberto, 2002	Canary Islands/Gran Canaria	TFMC
<i>Acmaeodera jeannae</i> Davidson, 2003	Mexico	UNAM
<i>Agrilus (Agrartus) deyrollei exsulus</i> Curletti, 2003	Solomon Isl.	BPBM
<i>Agrilus (Agrilus) auritinctus</i> Curletti, 2003	Solomon Isl.	BPBM
<i>Agrilus (Agrilus) bozzallai</i> Curletti, 2003	Solomon Isl.	MCCI
<i>Agrilus (Agrilus) eburneopilosus</i> Curletti, 2003	Solomon Isl.	BPBM
<i>Agrilus (Agrilus) extrarmatus</i> Curletti, 2003	Bougainville Isl.	BPBM
<i>Agrilus (Agrilus) fenestratus</i> Curletti, 2003	Solomon Isl.	BPBM
<i>Agrilus (Agrilus) incompositus</i> Curletti, 2003	Solomon Isl.	BPBM
<i>Agrilus (Agrilus) iucundus</i> Curletti, 2003	Solomon Isl.	BPBM
<i>Agrilus (Agrilus) rosazzae</i> Curletti, 2003	Solomon Isl.	BPBM
<i>Agrilus (Agrilus) samuelsoni</i> Curletti, 2003	Solomon Isl.	BPBM
<i>Agrilus (Duttus) filius</i> Bílý, Curletti & van Harten, 2003	Yemen	MCCI

<i>Agrilus (Pinarius) episcopus</i> Curletti, 2003	Bougainville Isl.	BPBM
<i>Agrilus (Pinarius) ostellinoi</i> Curletti, 2003	Solomon Isl.	BPBM
<i>Ankareus luciphilus</i> Bílý, Curletti & van Harten 2003	Yemen	NMPC
<i>Anthaxia (Haplanthaxia) iveta</i> Svoboda, 2003	Iran	NMPC
<i>Anthaxia (Melanthaxia) zarazagai</i> Arnáiz-Ruiz & Bercedo-Páramo, 2003a	Spain	MNCN
<i>Anthaxia (Melanthaxia) lencinai</i> Arnáiz-Ruiz & Bercedo-Páramo, 2003a	Spain	MNCN
<i>Anthaxia eggeri</i> Brandl, 2003	Canary Islands/Tenerife	ZSM
<i>Aphanisticus lafermei</i> Novak, 2003	Mauritius	GNCW
<i>Chrysodema terebayashii</i> Lander, 2003	Indonesia, Aru Isl.	TTC
<i>Chrysodema ulfi</i> Lander, 2003	Indonesia, Sumatra	TLCG
<i>Cylindromorphoides katrinae</i> Hornburg, 2003	Venezuela	ZMHB
<i>Mastogenius guayllabambensis</i> MacRae, 2003	Ecuador	CASC
<i>Sphenoptera (Holpistura) brechteli</i> Niehuis, 2003a	Israel	HMCM (ZSM)
<i>Sphenoptera (Chrysoblemma) zarudniana</i> Volkovitsh & Kalashian, 2003	Iran	ZIN
<i>Neefia semivestita</i> Bellamy, 2003c	Madagascar	MNHN
<i>Neefia magna</i> Bellamy, 2003c	Madagascar	MNHN
<i>Neefia montana</i> Bellamy, 2003c	Madagascar	MNHN
<i>Neefia gracilis</i> Bellamy, 2003c	Madagascar	MNHN
<i>Neefia humeralis</i> Bellamy, 2003c	Madagascar	MNHN
<i>Neefia rufofascia</i> Bellamy, 2003c	Madagascar	MNHN
<i>Neefia rufovestita</i> Bellamy, 2003c	Madagascar	MNHN
<i>Neefioides rufofascia</i> Bellamy, 2003c	Madagascar	MNHN

New genus

2003

<i>Dejungiella</i> Bellamy, 2003c	type species: <i>Discoderes cavifrons</i> Fairmaire, 1904
<i>Neefia</i> Bellamy, 2003c	type species: <i>Neefia semivestita</i> Bellamy, 2003c
<i>Neefioides</i> Bellamy, 2003c	type species: <i>Cisseis rufobasalis</i> Fairmaire, 1897

G. NOMENCLATURAL CHANGES

(the second name is the valid one)

Synonyma

2002

<i>Coomaniella aureopilosa</i> Théry, 1931 = <i>Coomaniella violaceipennis</i> Bourgoin, 1924	Jendek, 2002
---	--------------

2003

<i>Agrilus abreui</i> Fisher, 1988 = <i>Agrilus suturaalba</i> Deyrolle, 1864	Jendek, 2003c
<i>Agrilus altaicola</i> Obenberger, 1935 = <i>Agrilus cuprescens cuprescens</i> Ménétriés, 1832	Jendek, 2003b
<i>Agrilus antiquus hispanicus</i> Obenberger, 1913 = <i>Agrilus uhagoni</i> Abeille de Perrin, 1897	Arnáiz & Bercedo, 2003
<i>Agrilus aurichalceus foveolatus</i> Abeille de Perrin, 1897 = <i>Agrilus cuprescens cuprescens</i> Ménétriés, 1832	Jendek, 2003b
<i>Agrilus aurichalceus obtusifera</i> Schaefer, 1949 = <i>Agrilus cuprescens cuprescens</i> Ménétriés, 1832	Jendek, 2003b
<i>Agrilus aurichalceus rudis</i> Abeille de Perrin, 1897 = <i>Agrilus viridis</i> Linné, 1758	Jendek, 2003b
<i>Agrilus binominatus</i> Kerremans, 1900 = <i>Agrilus villosostriatus</i> Thomson, 1879	Jendek, 2003c
<i>Agrilus clermontianus</i> Roubal, 1925 = <i>Agrilus zigzag</i> Marseul, 1866	Jendek, 2003c
<i>Agrilus communis kuznecovi</i> Obenberger, 1935 = <i>Agrilus cuprescens cuprescens</i> Ménétriés, 1832	Jendek, 2003b
<i>Agrilus communis kuznecovinus</i> Obenberger, 1936 = <i>Agrilus cuprescens cuprescens</i> Ménétriés, 1832	Jendek, 2003b
<i>Agrilus corax</i> Obenberger, 1917 = <i>Agrilus ribbei</i> Kiesenwetter, 1879	Jendek, 2003c
<i>Agrilus corax</i> Obenberger, 1917 = <i>Agrilus ribbei</i> Kiesenwetter, 1879	Jendek, 2003c
<i>Agrilus cuprescens calcicola</i> Obenberger, 1916 = <i>Agrilus cuprescens cuprescens</i> Ménétriés, 1832	Jendek, 2003b
<i>Agrilus cuprescens lacrymans</i> Abeille de Perrin, 1895 = <i>Agrilus cuprescens cuprescens</i> Ménétriés, 1832	Jendek, 2003b
<i>Agrilus hokkaidoensis</i> Toyama, 1985 = <i>Agrilus shibatai</i> Kurosawa, 1864	Jendek, 2003c
<i>Agrilus indigenus</i> Gemminger & Harold, 1869 = <i>Agrilus (Agrilus) indignus</i> Fairmaire, 1849	Curletti 2003
<i>Agrilus myrmidonius</i> Obenberger, 1936 = <i>Agrilus achilleus</i> Obenberger, 1935	Jendek, 2003c
<i>Agrilus nagaii</i> Toyama, 1988 = <i>Agrilus semiaeonus</i> Deyrolle, 1864	Jendek, 2003c
<i>Agrilus nobuyukii</i> Toyama, 1987 = <i>Agrilus validus</i> Deyrolle, 1864	Jendek, 2003c

<i>Agrilus pratensis meridionalis</i> Cobos, 1986 = <i>Agrilus massanensis</i> Schaefer, 1955	
	Arnáiz & Bercedo, 2003
<i>Agrilus salomonicus</i> Obenberger, 1917 (in Curletti's paper erroneously 1817) = <i>Agrilus (Agrilus) indignus</i>	
Fairmaire, 1849	Curletti 2003
<i>Agrilus takedai</i> Toyama, 1987 = <i>Agrilus piliventris</i> Deyrolle, 1864	Jendek, 2003c
<i>Anthaxia (Haplanthaxia) novaehollandiae</i> Obenberger, 1928 = <i>Anthaxia (Haplanthaxia) splendida</i>	
Chevrolat, 1837	Bílý 2002
<i>Archepsila cordicollis</i> Holynski, 2001 = <i>Archepsila esterensis</i> Obenberger, 1924	Bellamy 2003c
<i>Chrysodema adjuncta</i> Saunders, 1874 = <i>Chrysodema jucunda</i> Laporte & Gory, 1835	Lander 2003
<i>Chrysodema aeneicollis</i> Kerremans, 1900 = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema aeneoviolacea</i> Deyrolle, 1864 = <i>Chrysodema mniszechii</i> Deyrolle, 1864	Lander 2003
<i>Chrysodema aurofoveata</i> (Guérin, 1831) = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema brownii</i> Waterhouse, 1885 = <i>Chrysodema smaragdula</i> (Olivier, 1790)	Lander 2003
<i>Chrysodema cavifrons</i> Fisher, 1926 = <i>Chrysodema jucunda</i> Laporte & Gory, 1835	Lander 2003
<i>Chrysodema celebicola</i> Obenberger, 1928 = <i>Chrysodema celebensis</i> Kerremans, 1909	Lander 2003
<i>Chrysodema coelestina</i> Obenberger, 1922 = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema cyanivertex</i> Obenberger, 1928 = <i>Chrysodema robusta</i> Deyrolle, 1864	Lander 2003
<i>Chrysodema diversa</i> Kerremans, 1919 = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema dohrnii</i> Saunders, 1874 = <i>Chrysodema mniszechii</i> Deyrolle, 1864	Lander 2003
<i>Chrysodema fossulipennis</i> Obenberger, 1922 = <i>Chrysodema smaragdula</i> (Olivier, 1790)	Lander 2003
<i>Chrysodema fulgida</i> Kerremans, 1895 = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema fuscitarsis</i> Kerremans, 1895 = <i>Chrysodema mniszechii</i> Deyrolle, 1864	Lander 2003
<i>Chrysodema gloriosa</i> Kerremans, 1919 = <i>Chrysodema malacca</i> Deyrolle, 1864	Lander 2003
<i>Chrysodema granulosa</i> Kerremans, 1895 = <i>Chrysodema dalmanni</i> (Eschscholtz, 1837)	Lander 2003
<i>Chrysodema igai</i> Kurosawa, 1982 = <i>Chrysodema malacca</i> Deyrolle, 1864	Lander 2003
<i>Chrysodema indocilis</i> Obenberger, 1928 = <i>Chrysodema smaragdula</i> (Olivier, 1790)	Lander 2003
<i>Chrysodema instabilis</i> Deyrolle, 1864 = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema intercosta</i> Saunders, 1874 = <i>Chrysodema eximia</i> Laporte & Gory, 1835	Lander 2003
<i>Chrysodema jansonii</i> Deyrolle, 1864 = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema kawamurai</i> Kurosawa, 1990 = <i>Chrysodema eximia</i> Laporte & Gory, 1835	Lander 2003
<i>Chrysodema keyensis</i> Théry, 1922 = <i>Chrysodema elongata</i> Kerremans, 1900	Lander 2003
<i>Chrysodema leopoldiana</i> Théry, 1933 = <i>Chrysodema variipennis</i> Saunders, 1874	Lander 2003
<i>Chrysodema lottinii vراzi</i> Obenberger, 1922 = <i>Chrysodema smaragdula</i> (Olivier, 1790)	Lander 2003
<i>Chrysodema manillarum</i> Thomson, 1879 = <i>Chrysodema dalmanni</i> (Eschscholtz, 1837)	Lander 2003
<i>Chrysodema mira</i> Obenberger, 1928 = <i>Chrysodema dalmanni</i> (Eschscholtz, 1837)	Lander 2003
<i>Chrysodema occulta</i> Waterhouse, 1885 = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema palawanica</i> Obenberger, 1928 = <i>Chrysodema ruficornis</i> Obenberger, 1928	Lander 2003
<i>Chrysodema philippinensis</i> Laporte & Gory, 1835 = <i>Chrysodema jucunda</i> Laporte & Gory, 1835	Lander 2003
<i>Chrysodema proxima</i> Saunders, 1874 = <i>Chrysodema smaragdula</i> (Olivier, 1790)	Lander 2003

<i>Chrysodema samarensis</i> Fisher, 1926 = <i>Chrysodema antennata</i> Saunders, 1874	Lander 2003
<i>Chrysodema snelliisi</i> Théry, 1935 = <i>Chrysodema smaragdula</i> (Olivier, 1790)	Lander 2003
<i>Chrysodema sororismeae</i> Holynski, 1995 = <i>Chrysodema smaragdula</i> (Olivier, 1790)	Lander 2003
<i>Chrysodema splendiceps</i> Obenberger, 1922 = <i>Chrysodema jucunda</i> Laporte & Gory, 1835	Lander 2003
<i>Chrysodema strandi</i> Obenberger, 1922 = <i>Chrysodema jucunda</i> Laporte & Gory, 1835	Lander 2003
<i>Chrysodema subvaripennis</i> Obenberger, 1928 = <i>Chrysodema impressicollis</i> Laporte & Gory, 1835	Lander 2003
<i>Chrysodema theryi</i> Kerremans, 1909 = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema tonkinea</i> Kerremans, 1909 = <i>Chrysodema aurostriata</i> Saunders, 1866	Lander 2003
<i>Chrysodema vagans</i> Gory, 1840 = <i>Chrysodema radians</i> (Guérin, 1831)	Lander 2003
<i>Chrysodema violacea</i> Kerremans, 1892 = <i>Chrysodema jucunda</i> Laporte & Gory, 1835	Lander 2003
<i>Chrysodema yerburyi</i> Waterhouse, 1905 = <i>Chrysodema sonnerati</i> Laporte & Gory, 1835	Lander 2003
<i>Pristiptera</i> Dejean, 1833 = <i>Pelecopselaphus</i> Solier, 1833	Bellamy 2003c
<i>Sphenoptera ahngeri</i> Jakovlev, 1900 = <i>Sphenoptera tomentosa</i> Jakovlev, 1886	Volkovitsh & Kalashian, 2003
<i>Sphenoptera amudarjensis</i> Obenberger, 1929 = <i>Sphenoptera pubescens</i> Jakovlev, 1886	Volkovitsh & Kalashian, 2003
<i>Sphenoptera anniae</i> Obenberger, 1927 = <i>Sphenoptera pubescens</i> Jakovlev, 1886	Volkovitsh & Kalashian, 2003
<i>Sphenoptera apta</i> Jakovlev, 1903 = <i>Sphenoptera jakowlewi</i> Reitter, 1895	Volkovitsh & Kalashian, 2003
<i>Sphenoptera asiatica</i> Gory & Laporte, 1839 = <i>Sphenoptera tamaricis</i> (Klug), 1829	Volkovitsh & Kalashian, 2003
<i>Sphenoptera australis</i> Gory & Laporte, 1839 = <i>Sphenoptera orichalcea</i> (Pallas), 1781	Volkovitsh & Kalashian, 2003
<i>Sphenoptera dilotti</i> Obenberger, 1929 = <i>Sphenoptera tamaricis</i> (Klug), 1829	Volkovitsh & Kalashian, 2003
<i>Sphenoptera elegans</i> Jakovlev, 1900 = <i>Sphenoptera tristicula</i> Reitter, 1895	Volkovitsh & Kalashian, 2003
<i>Sphenoptera flagrans</i> Semenov, 1895 = <i>Sphenoptera balassogloi</i> Jakovlev, 1885	Volkovitsh & Kalashian, 2003
<i>Sphenoptera fulgurans</i> Obenberger, 1920 = <i>Sphenoptera mesopotamica</i> Marseul, 1865 (Remark: The correct year must be 1866. The pages 289–540 were published in this year.)	Volkovitsh & Kalashian, 2003
<i>Sphenoptera kambyses</i> Obenberger, 1930 = <i>Sphenoptera servistana</i> Obenberger, 1930	Volkovitsh & Kalashian, 2003
<i>Sphenoptera lamaica</i> Obenberger, 1920 = <i>Sphenoptera semenovi</i> Jakovlev, 1889	Volkovitsh & Kalashian, 2003
<i>Sphenoptera lebedevi</i> Obenberger, 1928 = <i>Sphenoptera schneideri</i> Reitter, 1898	Volkovitsh & Kalashian, 2003
<i>Sphenoptera mesopotamica deserti</i> Obenberger, 1920 = <i>Sphenoptera mesopotamica</i> Marseul, 1865 (Remark: The correct year must be 1866. The pages 289–540 were published in this year.)	Volkovitsh & Kalashian, 2003

Sphenoptera mesopotamica sartica Obenberger, 1927 = *Sphenoptera mesopotamica* Marseul, 1865 (Remark: The correct year must be 1866. The pages 289–540 were published in this year.)

Volkovitsh & Kalashian, 2003

Sphenoptera morawitzi Semenov, 1896 = *Sphenoptera balassogloii* Jakovlev, 1885
Volkovitsh & Kalashian, 2003

Sphenoptera mujunkumensis Obenberger, 1928 = *Sphenoptera schneideri* Reitter, 1898
Volkovitsh & Kalashian, 2003

Sphenoptera namanganensis Obenberger, 1927 = *Sphenoptera mesopotamica* Marseul, 1865 (Remark: The correct year must be 1866. The pages 289–540 were published in this year.)
Volkovitsh & Kalashian, 2003

Sphenoptera obtusangula Obenberger, 1927 = *Sphenoptera amplicollis* Jakovlev, 1899
Volkovitsh & Kalashian, 2003

Sphenoptera orichalcea chrysia Jakovlev, 1899 = *Sphenoptera orichalcea* (Pallas), 1781
Volkovitsh & Kalashian, 2003

Sphenoptera orichalcea meyeri Gebler, 1830 = *Sphenoptera orichalcea* (Pallas), 1781
Volkovitsh & Kalashian, 2003

Sphenoptera ostenta Jakovlev, 1908 = *Sphenoptera orichalcea* (Pallas), 1781
Volkovitsh & Kalashian, 2003

Sphenoptera phoebas Jakovlev, 1908 = *Sphenoptera orichalcea* (Pallas), 1781
Volkovitsh & Kalashian, 2003

Sphenoptera phryne Jakovlev, 1905 = *Sphenoptera amplicollis* Jakovlev, 1899
Volkovitsh & Kalashian, 2003

Sphenoptera pilosula castellana Cobos, 1986 = *Sphenoptera pilosula* Jakovlev, 1887
Arnáiz & Bercedo, 2003

Sphenoptera pilosula gadetinica Verdugo & Coello, 2001 = *Sphenoptera pilosula* Jakovlev, 1887
Arnáiz & Bercedo, 2003

Sphenoptera potanini Jakovlev, 1889 = *Sphenoptera striatipennis* Jakovlev, 1885
Volkovitsh & Kalashian, 2003

Sphenoptera potanini var. *procera* Reitter, 1890 = *Sphenoptera striatipennis* Jakovlev, 1885
Volkovitsh & Kalashian, 2003

Sphenoptera protracta Jakovlev, 1885 = *Sphenoptera balassogloii* Jakovlev, 1885
Volkovitsh & Kalashian, 2003

Sphenoptera pruionosa Abeille de Perrin, 1891 = *Sphenoptera orichalcea* (Pallas), 1781
Volkovitsh & Kalashian, 2003

Sphenoptera pseudoignita Alexeev, 1978 = *Sphenoptera tamaricis* (Klug), 1829
Volkovitsh & Kalashian, 2003

Sphenoptera reitteri Jakovlev, 1891 = *Sphenoptera semenovi* Jakovlev, 1889
Volkovitsh & Kalashian, 2003

Sphenoptera scintilla Jakovlev, 1908 = *Sphenoptera tomentosa* Jakovlev, 1886
Volkovitsh & Kalashian, 2003

Sphenoptera sinkiangensis Obenberger, 1927 = *Sphenoptera orichalcea* (Pallas), 1781
Volkovitsh & Kalashian, 2003

Sphenoptera turkestanica Jakovlev, 1885 = *Sphenoptera mesopotamica* Marseul, 1865 (Remark: The correct year must be 1866. The pages 289–540 were published in this year.)
Volkovitsh & Kalashian, 2003

Sphenoptera venus Obenberger, 1927 = *Sphenoptera punctatissima* Reitter, 1895
Volkovitsh & Kalashian, 2003

<i>Sphenoptera venusta</i> Jakovlev, 1904 = <i>Sphenoptera balassogloei</i> Jakovlev, 1885	Volkovitsh & Kalashian, 2003
<i>Sphenoptera walteri</i> Reitter, 1890 = <i>Sphenoptera tamaricis</i> (Klug), 1829	Volkovitsh & Kalashian, 2003

Replacement names

2003

<i>Chrysodema sainvali</i> Lander, 2001 = <i>Chrysodema neefi</i> Lander, 2003	Lander 2003
<i>Eucallopistus</i> for <i>Callopistus</i> Deyrolle, 1865	Bellamy 2003c
<i>Mimicoclytrina</i> for <i>Acherusia</i> Laporte & Gory, 1837	Bellamy 2003c
<i>Sambus apicalis</i> Bourgoin, 1923 = <i>Agrylus liscapia</i> Jendek, 2003c	Jendek, 2003c
<i>Sphenoptera amudarjensis</i> Obenberger, 1952 = <i>Sphenoptera obenbergeriana</i> Volkovitsh & Kalashian, 2003	Volkovitsh & Kalashian, 2003
<i>Zitoides</i> for <i>Zita</i> Bellamy, 1992	Bellamy 2003c

Status novus (reestablished)

2002

<i>Anthaxia</i> (<i>Anthaxia</i>) <i>chevrieri</i> Gory & Laporte, 1839 (from Switzerland)	Bílý 2002a
--	------------

Status novus (upgraded to species)

2003

<i>Agrylus aurichalceus paludicola</i> Krogerus, 1922 = <i>Agrylus paludicola</i>	Jendek 2003b
<i>Anthaxia nitidula signaticollis</i> Krynicki, 1832 = <i>Anthaxia signaticollis</i>	Sakalian 2003

Status novus (downgraded to subgenus)

<i>Squamodera</i> Nelson, 1966 = <i>Acameodera</i> (<i>Squamodera</i>)	Davidson 2003
--	---------------

Status novus (downgraded to subspecies)

<i>Agrylus amethystopterus</i> Semenov-Tian-Shanskij, 1890 = <i>Agrylus cuprescens amethystopterus</i>	Jendek 2003b
--	--------------

Combinatio nova (new combination)

2003

<i>Agrylus graminis</i> Gory & Laporte, 1837 = <i>Agrylus graminis</i> Kiesenwetter, 1857	Jendek 2003a
<i>Chrysodema foraminifera</i> Lansberge, 1879 = <i>Chrysodema</i> (<i>Gelaeus</i>) <i>foraminifera</i> Lansberge, 1879	Lander 2003
<i>Chrysodema ocellata</i> Lander & Neef de Sainval, 2000 = <i>Paracupta ocellata</i> (Lander & Neef de Sainval, 2000)	Lander 2003
<i>Chrysodema subfasciata</i> Carter, 1916 = <i>Chalcophora subfasciata</i> (Carter, 1916)	Lander 2003
<i>Psiloptera esterensis</i> Obenberger, 1924 = <i>Archespsila esterensis</i> Obenberger, 1924	Bellamy 2003c